

AASHTO/AWS D1.5M/D1.5:2002
An American National Standard

Bridge Welding Code

A Joint Publication of
American Association of State Highway
and Transportation Officials



American Welding Society

Key Words—Bridge fabrication requirements, construction steels, fracture control plan, steel bridges, stud welding, weld connection design, welding inspection

**AASHTO/AWS D1.5M/D1.5:2002
An American National Standard**

**Approved by
American National Standards Institute
November 30, 2001**

Bridge Welding Code

Supersedes ANSI/AASHTO/AWS D1.5-96

Prepared by
AWS D1 Committee on Structural Welding
AASHTO Highway Subcommittee on Bridges and Structures

Under the Direction of
AWS Technical Activities Committee
AASHTO Executive Committee

Approved by
AWS Board of Directors
AASHTO Board of Directors/Policy Committee

Abstract

This code covers the welding requirements for AASHTO welded highway bridges made from carbon and low-alloy constructional steels. This 2002 edition contains dimensions in metric SI Units and U.S. Customary Units. Sections 1 through 7 constitute a body of rules for the regulation of welding in steel construction. Section 9 of the previous edition has had its provisions distributed throughout the 2002 edition. Sections 8, 10, and 11 do not contain provisions, as their analogue D1.1 sections are not applicable to the D1.5 Code. Section 12 contains the requirements for fabricating fracture critical members.

A Joint Publication of:

**American Association of State
Highway and Transportation Officials**
444 N. Capitol Street, N.W., Suite 225
Washington, DC 20001

American Welding Society
550 N.W. LeJeune Road
Miami, FL 33126

Table of Contents

	Page No.
<i>Personnel</i>	iii
<i>Foreword</i>	v
<i>List of Tables</i>	xiii
<i>List of Figures</i>	xiv
<i>List of Forms</i>	xvi
1. General Provisions	1
1.1 Application	1
1.2 Base Metal	1
1.3 Welding Processes	2
1.4 <u>Fabricator Requirements</u>	2
1.5 Definitions	2
1.6 Welding Symbols	2
1.7 Safety Precautions	2
1.8 Standard Units of Measurement	3
1.9 Welding Procedure Specifications (WPSs)	3
1.10 Mechanical Testing	3
1.11 <u>Reference Documents</u>	3
2. Design of Welded Connections	5
<i>Part A—General Requirements</i>	5
2.1 Drawings	5
2.2 Basic Unit Stresses	5
2.3 Effective Weld Areas, Lengths, Throats, and Sizes	6
<i>Part B—Structural Details</i>	6
2.4 General	6
2.5 Welded Filler Plates	7
2.6 PJP Groove Welds	7
<i>Part C—Details of Welded Joints</i>	7
2.7 Joint Qualification	7
2.8 Details of Fillet Welds	7
2.9 Details of Plug and Slot Welds	9
2.10 Lap Joints	10
2.11 Corner and T-Joints	10
2.12 CJP Groove Welds	10
2.13 PJP Groove Welds	10
2.14 Prohibited Types of Joints and Welds	44
2.15 Combinations of Welds	44
2.16 Welds in Combination with Rivets and Bolts	44
2.17 Connection Details	45
3. Workmanship	49
3.1 General Requirements	49
3.2 Preparation of Base Metal	49
3.3 Assembly	53

3.4	Control of Distortion and Shrinkage.....	55
3.5	Dimensional Tolerances.....	55
3.6	Weld Profiles.....	57
3.7	Repairs.....	59
3.8	Peening.....	60
3.9	Caulking.....	60
3.10	Arc Strikes.....	60
3.11	Weld Cleaning.....	60
3.12	Weld Termination.....	60
3.13	Weld Backing.....	61
4.	Technique.....	63
	<i>Part A—General Requirements.....</i>	<i>63</i>
4.1	Filler Metal Requirements.....	63
4.2	Preheat and Interpass Temperature Requirements.....	66
4.3	Heat Input Control for Grade 690 (100) and 690W (100W).....	70
4.4	Stress Relief Heat Treatment.....	70
	<i>Part B—Shielded Metal Arc Welding (SMAW).....</i>	<i>71</i>
4.5	Electrodes for SMAW.....	71
4.6	Procedures for SMAW.....	72
	<i>Part C—Submerged Arc Welding (SAW).....</i>	<i>73</i>
4.7	General Requirements.....	73
4.8	Electrodes and Fluxes for SAW.....	73
4.9	Procedures for SAW with a Single Electrode.....	74
4.10	Procedures for SAW with Parallel Electrodes.....	75
4.11	Procedures for SAW with Multiple Electrodes.....	76
	<i>Part D—Gas Metal Arc Welding (GMAW) and Flux Cored Arc Welding (FCAW).....</i>	<i>76</i>
4.12	Electrodes.....	76
4.13	Shielding Gas.....	77
4.14	Procedures for GMAW and FCAW with a Single Electrode.....	77
	<i>Part E—Electroslag Welding (ESW) and Electrogas Welding (EGW).....</i>	<i>78</i>
4.15	Qualification of Process, WPSs, and Joint Details.....	78
4.16	Mechanical Properties.....	78
4.17	Condition of Electrodes and Guide Tubes.....	78
4.18	Shielding Gas.....	78
4.19	Condition of Flux.....	78
4.20	Procedures for ESW and EGW.....	78
	<i>Part F—Plug and Slot Welds.....</i>	<i>79</i>
4.21	Plug Welds.....	79
4.22	Slot Welds.....	79
4.23	Plug and Slot Welds.....	79
	<i>Part G—Control of Production Welding Variables.....</i>	<i>79</i>
4.24	Tests.....	79
4.25	Control of Variables.....	79
4.26	Calibration of Equipment.....	79
4.27	Current Control.....	79
5.	Qualification.....	81
5.0	Scope.....	81
	<i>Part A—Welding Procedure Specification (WPS) Qualification.....</i>	<i>81</i>
5.1	Approval.....	81

5.2	Qualification Responsibility	81
5.3	Duration	81
5.4	Base Metal	82
5.5	Welding Consumables	83
5.6	Test Plate Thickness.....	84
5.7	General Requirements for WPS Qualification.....	84
5.8	Position of Test Welds.....	88
5.9	Options for WPS Qualification or Prequalification	88
5.10	Fillet Weld WPS Qualification	88
5.11	Prequalified WPS.....	91
5.12	Heat Input WPS	92
5.13	Production Procedure WPS	93
5.14	ESW and EGW	95
5.15	Type of Tests and Purpose	95
5.16	Weld Specimens—Number, Type, and Preparation.....	95
5.17	Nondestructive Testing (NDT).....	100
5.18	Method of Testing Specimens.....	100
5.19	Test Results Required	106
5.20	Retests	106
	<i>Part B—Welder, Welding Operator, and Tack Welder Qualification</i>	<i>107</i>
5.21	General Requirements.....	107
5.22	Production Welding Positions Qualified.....	107
5.23	Qualification Tests Required.....	108
5.24	Limitations of Variables.....	115
5.25	Test Specimens: Number, Type, and Preparation	117
5.26	Method of Testing Specimens.....	117
5.27	Test Results Required	120
5.28	Retests	121
6.	Inspection.....	123
	<i>Part A—General Requirements</i>	<i>123</i>
6.1	General.....	123
6.2	Inspection of Materials	124
6.3	Inspection of WPS Qualification and Equipment.....	124
6.4	Inspection of Welder, Welding Operator, and Tack Welder Qualifications	124
6.5	Inspection of Work and Records.....	124
6.6	Obligations of the Contractor	125
6.7	Nondestructive Testing (NDT).....	125
	<i>Part B—Radiographic Testing (RT) of Groove Welds in Butt Joints.....</i>	<i>127</i>
6.8	Extent of Testing	127
6.9	General.....	127
6.10	RT Procedure	127
6.11	Acceptability of Welds.....	134
6.12	Examination, Report, and Disposition of Radiographs	134
	<i>Part C—Ultrasonic Testing (UT) of Groove Welds</i>	<i>134</i>
6.13	General.....	134
6.14	Extent of Testing	134
6.15	UT Equipment.....	134
6.16	Reference Standards	136
6.17	Equipment Qualification.....	140
6.18	Calibration for Testing	140
6.19	Testing Procedures	141

6.20	Preparation and Disposition of Reports	146
6.21	Calibration of the UT Unit with IIW or Other Approved Reference Blocks.....	146
6.22	Equipment Qualification Procedures	148
6.23	Flaw Size Evaluation Procedures.....	149
6.24	Scanning Patterns.....	149
6.25	Examples of dB Accuracy Certification	150
	<i>Part D—Weld Acceptance Criteria</i>	150
6.26	Quality of Welds	150
7.	Stud Welding.....	155
7.1	Scope.....	155
7.2	General Requirements.....	155
7.3	Mechanical Requirements.....	155
7.4	Workmanship	156
7.5	Technique	157
7.6	Stud Application Qualification Requirements	158
7.7	Production Control.....	159
7.8	Inspection Requirements.....	160
8.	Statically Loaded Structures (No Applications within this code).....	161
9.	Welded Steel Bridges <u>(The provisions of this section in ANSI/AASHTO/AWS [for D1.5-96] have been distributed throughout AASHTO/AWS [for D1.5M/D1.5:2002])</u>	
10.	Tubular Structures (No Applications within this code)	165
11.	Strengthening and Repairing Existing Structures (No Applications within this code)	167
12.	AASHTO/AWS Fracture Control Plan (FCP) for Nonredundant Members.....	169
12.1	General Provisions	169
12.2	Definitions.....	169
12.3	Contract Documents	169
12.4	Base Metal Requirements	170
12.5	Welding Processes	170
12.6	Consumable Requirements	170
12.7	Welding Procedure Specification (WPS).....	174
12.8	<u>Certification and Qualification</u>	174
12.9	As-Received Inspection of Base Metal.....	175
12.10	Thermal Cutting	175
12.11	Repair of Base Metal	175
12.12	Straightening, Curving, and Cambering	175
12.13	Tack Welds and Temporary Welds.....	176
12.14	Preheat and Interpass Temperature Control.....	176
12.15	Postweld Thermal Treatments	176
12.16	Weld Inspection	178
12.17	Repair Welding	179
	<i>Annexes—Mandatory Information</i>	
	<i>Annex I—Effective Throat</i>	183
	<i>Annex II—Effective Throats of Fillet Welds in Skewed T-Joints</i>	185
	<i>Annex III—Suggested Sample Welding Forms</i>	187
	<i>Annex IV—Flatness of Girder Webs—Bridges</i>	195
	<i>Annex V—Terms and Definitions</i>	201
	<i>Annex VI—Manufacturer’s Stud Base Qualification Requirements</i>	209
	<i>Annex VII—Part A—Qualification and Calibration of the UT Unit with Other Approved Reference Blocks</i>	213
	<i>Part B—UT Equipment Qualification Procedures</i>	215
	<i>Annex VIII—Guidelines on Alternative Methods for Determining Preheat</i>	223

Annexes—Nonmandatory Information

Annex A—Weld Quality Requirements for Tension Joints 233

Annex B—Description of Common Weld and Base Metal Discontinuities..... 235

Annex C—Short Circuiting Transfer 245

Annex D—Guidelines for Preparation of Technical Inquiries for the Joint AASHTO/AWS Subcommittee on Bridge Welding 247

Annex E—Reference Documents 249

Annex F—Location of Section 9 Provisions of 1996 Edition in AASHTO/AWS D1.5M/D1.5:2002 251

Commentary on Bridge Welding Code 253

C1. General Provisions 259

C2. Design of Welded Connections..... 263

C3. Workmanship 273

C5. Qualification 295

C6. Inspection..... 315

C7. Stud Welding..... 331

C12. AASHTO/AWS Fracture Control Plan (FCP) for Nonredundant Members..... 337

Index 355

List of Tables

Table		Page No.
2.1	Minimum Fillet Weld Size	9
2.2	Minimum Effective Weld Size for PJP Groove Welds.....	44
3.1	Limits on Acceptability and Repair of Cut Edge Discontinuities of Material	51
3.2	Camber Tolerance for Typical Girder.....	56
3.3	Camber Tolerance for Girders without a Designed Concrete Haunch.....	56
4.1	Matching Filler Metal Requirements for WPSs Qualified in Conformance with 5.12.....	64
4.2	Matching Filler Metal Requirements for WPSs Qualified in Conformance with 5.13.....	67
4.3	Filler Metal Requirements for Exposed Bare Application of M270M (M270) (A709M [A709]) Gr. 345W (50W) Steel.....	69
4.4	Minimum Preheat and Interpass Temperature, °C [°F].....	70
4.5	Minimum Holding Time	71
4.6	Alternate Stress-Relief Heat Treatment	71
4.7	Allowable Atmospheric Exposure of Low-Hydrogen SMAW Electrodes.....	72
5.1	WPS Qualification Requirements for Consumables	83
<u>5.2</u>	<u>WPS Qualification or Prequalification Options</u>	<u>88</u>
5.3	PQR Essential Variable Changes for WPSs Qualified per 5.13.3.....	96
5.4	Additional PQR Essential Variable Changes Requiring WPS Requalification for ESW or EGW	99
5.5	Required Number of Test Specimens—WPS Qualification.....	100
5.6	Welder Qualification—Type and Position Limitations	107
5.7	Number and Type of Specimens and Range of Thickness Qualified—Welder and Welding Operator Qualification.....	109
6.1	Hole-Type IQI Requirements	127
6.1A	Wire IQI Requirements	128
6.2	Testing Angle	142
6.3	UT Acceptance-Rejection Criteria—Tensile Stress	144
6.4	UT Acceptance-Rejection Criteria—Compressive Stress.....	145
7.1	Mechanical Property Requirements for Studs.....	156
7.2	Minimum Fillet Weld Size for Small Diameter Studs	158
12.1	CVN Test Values of Weld Metal with Matching Strength	171
12.2	Tack Weld Requirements.....	176
12.3	M270M (M270) (A709M [A709]) Gr. 250 (36), 345 (50) Minimum Preheat and Interpass Temperatures, °C [°F]	177
12.4	M270M (M270) (A709M [A709]) Gr. 345W (50W), 485W (70W) Minimum Preheat and Interpass Temperatures, °C [°F]	177
12.5	M270M (M270) (A709M [A709]) Gr. 690 (100), 690W (100W) Minimum and Maximum Preheat/Interpass Temperatures, °C [°F].....	177
II-1	Equivalent Fillet Weld Leg Size Factors for Skewed T-Joints, R = 0	185
VIII-1	Susceptibility Index Grouping as Function of Hydrogen Level “H” and Composition Parameter P _{cm}	231
VIII-2	Minimum Preheat and Interpass Temperatures for Three Levels of Restraint.....	231
B-1	Common Types of Discontinuities	236
<u>C-1</u>	<u>Typical Current Ranges for Short Circuiting Transfer Gas Metal Arc Welding (GMAW-S) of Steel ..</u>	<u>245</u>

List of Figures

Figure		Page No.
2.1	Filler Plates Less Than 6 mm [1/4 in.] Thick.....	8
2.2	Filler Plates 6 mm [1/4 in.] or Thicker.....	8
2.3	Details for Fillet Welds.....	9
2.4	Details of Welded Joints for CJP Groove Welds.....	12
2.5	Details of Welded Joints for PJP Groove Welds.....	32
2.6	Fillet Welds on Opposite Sides of a Common Plane of Contact.....	44
2.7	Transition of Thickness at Butt Joints of Parts Having Unequal Thickness.....	46
2.8	Transition of Width at Butt Joints of Parts Having Unequal Width.....	47
3.1	Discontinuities in Cut Plate.....	51
3.2	Workmanship Tolerances in Assembly of Groove Welded Joints.....	54
3.3	Acceptable and Unacceptable Weld Profiles.....	58
4.1	Weld Bead in Which Depth and Width Exceed the Width of the Weld Face.....	74
5.1	WPS Qualification or Pretest—Test Plate A.....	85
5.2	WPS Verification—Test Plate B.....	86
5.3	Weld Soundness Test Plate for Details Not Conforming to Figure 2.4 or Figure 2.5— Test Plate C.....	87
5.4	Positions of Fillet Welds.....	89
5.5	Positions of Groove Welds.....	90
5.6	Position of Test Plates for Groove Welds.....	91
5.7	Position of Test Plates for Fillet Welds.....	92
5.8	Fillet Weld Soundness Test (Macroetch) for WPS Qualification—Test Plate D.....	94
5.9	Standard Round All-Weld-Metal Tension Specimen.....	101
5.10	Reduced Section Tension Specimen.....	101
5.11	Side-Bend Specimen.....	102
5.12	Face- and Root-Bend Specimen.....	102
5.13	CVN Test Specimen—Type A.....	103
5.14	Guided Bend Test Jig.....	104
5.15	Alternative Wraparound Guided Bend Test Jig.....	105
5.16	Alternative Roller-Equipped Guided Bend Test Jig for Bottom Ejection of Test Specimen.....	105
5.17	Test Plate for Unlimited Thickness—Welder Qualification.....	110
5.18	Optional Test Plate for Unlimited Thickness—Horizontal Position—Welder Qualification.....	110
5.19	Test Plate for Limited Thickness—All Positions—Welder Qualification.....	111
5.20	Optional Test Plate for Limited Thickness—Horizontal Position—Welder Qualification.....	111
5.21	Fillet-Weld-Break and Macroetch Test Plate—Welder Qualification—Option 1.....	112
5.22	Fillet Weld Root-Bend Test Plate—Welder Qualification—Option 2.....	113
5.23	Plug Weld Macroetch Test Plate—Welder Qualification.....	114
5.24	Test Plate for Unlimited Thickness—Welding Operator Qualification.....	115
5.25	Butt Joint for Welding Operator Qualification—ESW and EGW.....	116
5.26	Fillet-Weld-Break and Macroetch Test Plate—Welding Operator Qualification—Option 1.....	117
5.27	Fillet Weld Root Bend Test Plate—Welding Operator Qualification—Option 2.....	118
5.28	Fillet-Weld-Break Specimen—Tack Welder Qualification.....	119
5.29	Method of Rupturing Specimen—Tack Welder Qualification.....	120
6.1A	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints 250 mm [10 in.] and Greater in Length.....	129

Figure	Page No.
6.1B	Radiographic Identification and Hole-Type or Wire IQI Locations on Approximately Equal Thickness Joints Less than 250 mm [10 in.] in Length 129
6.1C	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 250 mm [10 in.] and Greater in Length 130
6.1D	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less than 250 mm [10 in.] in Length..... 130
6.1E	Hole-Type IQI Design 131
6.1F	Wire-Type IQI 132
<u>6.2</u>	<u>RT Edge Block Placement</u> 135
6.3	Transducer Crystal 136
6.4	Qualification Procedure of Search Unit Using IIW Reference Block..... 136
6.5A	International Institute of Welding (IIW) UT Reference Blocks 137
6.5B	Other Approved UT Reference Blocks 138
6.6	Transducer Positions (Typical)..... 147
6.7	Plan View of UT Scanning Patterns 150
<u>6.8</u>	<u>Weld Quality Requirements for Discontinuities Occurring in Tension Welds (Limitations of Porosity and Fusion Discontinuities) 152</u>
<u>6.9</u>	<u>Weld Requirements for Discontinuities Occurring in Compression Welds (Limitations of Porosity or Fusion Type Discontinuities)..... 153</u>
7.1	Dimension and Tolerances of Standard-Type Shear Connectors 156
7.2	Typical Tension Test Fixture 157
7.3	Torque Testing Arrangement and Table of Testing Torques 159
VI-1A	Bend Testing Device 211
VI-1B	Suggested Type of Device for Qualification Testing of Small Studs 211
VII-1	Example of the Use of Form VII-8 UT Unit Certification 216
VII-2	Example of Form VII-9..... 217
VII-3	Example of the Use of Form VII-9 218
VII-4	Example of Form VII-10..... 219
VII-5	Example of the Use of Form VII-10 220
VII-6	Form VII-11—Report of UT of Welds..... 221
VIII-1	Zone Classification of Steels..... 225
VIII-2	Critical Cooling Rate for 350 VH and 400 VH..... 226
VIII-3	Charts to Determine Cooling Rates for Single-Pass Submerged Arc Fillet Welds 227
VIII-4	Relation Between Fillet Weld Size and Energy Input..... 230
B-1	Weld in Butt Joint..... 237
B-2	Weld in Corner Joint..... 238
B-3	Weld in T-Joint 239
B-4	Weld in Lap Joint 240
B-5	Single-Pass Fillet Weld in T-Joint 241
B-6	Single-V-Groove Weld in Butt Joint 242
C-1	Oscillograms and Sketches of Short Circuiting Arc Metal Transfer..... 246
Commentary Figures	
C-3.1	Examples of Unacceptable Reentrant Corners..... 277
C-3.2	Examples of Good Practice for Cutting Copos 278

List of Forms

Form		Page No.
III-1	Certificate of Conformance to Requirements for Welding Electrodes.....	188
III-2	Sample Welding Procedure Specification	189
III-3	Procedure Qualification Record (PQR) for Qualification, Pretest, and Verification Results.....	190
III-4	Welder and Welding Operator Qualification Record	191
III-5	Report of Radiographic Examination of Welds	192
III-6	Report of Magnetic Particle Examination of Welds.....	193

Bridge Welding Code

1. General Provisions

1.1 Application

1.1.1 This code covers welding fabrication requirements applicable to welded highway bridges. It is to be used in conjunction with the *AASHTO Standard Specification for Highway Bridges* or the *AASHTO LRFD Bridge Design Specifications*.

The code is not intended to be used for the following:

- (1) Steels with a minimum specified yield strength greater than 690 MPa [100 ksi]
- (2) Pressure vessels or pressure piping
- (3) Base metals other than carbon or low alloy steels
- (4) Structures composed of structural tubing

Fabrication of structures or components not specifically addressed by this code shall be performed in conformance with the special provisions of the contract or in conformance with the written directives of the Engineer who may choose to reference an alternate applicable welding standard.

1.1.2 The fundamental premise of the code is to provide general stipulations applicable to any routine bridge situation. Acceptance criteria for production welds different from those described in the code may be used for a particular application, provided they are suitably documented by the proposer and approved by the Engineer.

Such alternate acceptance criteria may be based upon evaluation of suitability for service using past experience, experimental evidence, or engineering analysis considering material type, service load effects, and environmental factors.

1.1.3 The term *Engineer* as used in this code shall mean the State Bridge Engineer, or the Bridge Engineer's designated representative. The Engineer acts on behalf of the State or Owner and unless otherwise specified, shall be the Owner's official representative. All references to

acceptance or approval shall mean acceptance or approval by the Engineer.

1.1.4 The term *Contractor* as used in this code indicates the party responsible for performing the work as required by the contract documents. The term Contractor is used collectively to mean contractor, manufacturer, fabricator, erector, or other party performing the work.

1.2 Base Metal

1.2.1 Specified Base Metal. The contract documents shall designate the specification and classification of base metals to be used.

1.2.2 Approved Base Metals. Unless otherwise specified, base metals to be welded under this code shall meet the requirements of the latest edition of AASHTO M270M (M270) (ASTM A 709M [A 709]) for the grade of steel shown on the plans or described in the specifications. All Grade 345 (50) steel that is to be welded shall be Type 1, 2, or 3. Other steels may be approved by the Engineer. Thickness limitations shall not apply to bearing components.

M270M (M270) steels of a designated grade are essentially the same as ASTM A 709M (A 709) steels of the same grade. A 709M (A 709) may be used as a reference and a guide to other ASTM "referenced documents;" however, when there is a difference, the provisions of M270M (M270), including the documents referenced in M270M (M270), shall govern. The provisions of this code are not intended for use with steels having a minimum specified yield strength over 690 MPa [100 ksi].

1.2.3 Thickness Limitations. The provisions of this code do not apply to welding base metals less than 3 mm [1/8 in.] thick. Where base metals thinner than 3 mm

[1/8 in.] are to be welded, the requirements of AWS D1.3, *Structural Welding Code—Sheet Steel*, should apply. When used in conjunction with AWS D1.3, the applicable provisions of this code shall be observed.

1.3 Welding Processes

1.3.1 Shielded metal arc welding (SMAW) WPSs (Welding Procedure Specifications) which conform to the provisions of Sections 2, 3, and 4, are operated within the limitation of variables recommended by the manufacturer, and which produce weld metal with a minimum specified yield strength less than 620 MPa [90 ksi], shall be deemed prequalified and exempt from the tests described in Section 5. WPSs for SAW, FCAW, GMAW, ESW, and EGW shall be qualified as described in 5.12 or 5.13, as applicable.

1.3.2 Electroslag (ESW) and electrogas (EGW) welding may be used for groove welds in butt joints in compression members, provided the WPSs conform to the applicable provisions of Sections 2, 3, and 4, and the Contractor qualifies them in conformance with the requirements of 5.13. ESW and EGW shall be subject to NDT, as described in Section 6.

1.3.3 Stud welding may be used, provided the WPSs conform to the applicable provisions of Section 7.

1.3.4 GMAW-S (short circuit arc) is not recommended for the construction of bridge members and shall not be used without written approval of the Engineer.

1.3.5 Other welding processes not described in this code may be used if approved by the Engineer. These processes shall be qualified by the applicable tests described in 5.13 and any other tests required by the Engineer. In conjunction with the tests, the WPSs and limitation of essential variables applicable to the specific welding process shall be established by the Contractor developing the WPS. The range of essential variables shall be based on documented evidence of experience with the process, or a series of tests shall be conducted to establish the limits of variables. Any change in essential variables outside the range so established shall require requalification.

1.3.6 Welding of Ancillary Products. Unless otherwise provided in the contract documents, ancillary products, such as drainage components, expansion dams, curb plates, bearings, hand rails, cofferdams, sheet piling, and other products not subject to calculated tensile stress from live load and not welded to main members in tension areas as determined by the Engineer, may be fabricated without performing the WPS qualification tests described in Section 5, subject to the following restrictions:

(1) SMAW, SAW, FCAW, and GMAW WPSs shall be considered prequalified and exempt from the qualifica-

tion tests described in Section 5, provided that welding is performed in conformance with all other provisions of the code.

(2) All welding performed in conformance with this subsection shall be conducted within the limitations of welding variables recommended by the filler metal manufacturer. Welds attaching ancillary products to main members shall meet all requirements of the code, including WPS qualification testing.

(3) The Engineer shall be the final judge of which products are considered ancillary and exempt from qualification tests.

1.4 Fabricator Requirements

Fabricators shall be certified under the AISC Quality Certification Program, Simple Steel Bridges or Major Steel Bridges, as required by the Engineer, or an equivalent program acceptable to the Engineer.

1.5 Definitions

The welding terms used in this code shall be interpreted in conformance with the definitions given in the latest edition of AWS A3.0, *Standard Welding Terms and Definitions*, supplemented by Annex V of this code.

1.6 Welding Symbols

Welding symbols shall be those shown in the latest edition of AWS A2.4, *Standard Symbols for Welding, Brazing, and Nondestructive Examination*. Special conditions shall be fully explained by notes or details.

1.7 Safety Precautions

The technical document does not address all welding and health hazards. However, pertinent information can be found in the following documents:

(1) ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*

(2) Manufacturer's safety literature on equipment and materials

(3) Other pertinent documents as appropriate

These documents shall be referred to and followed as required.

NOTE: This code may involve hazardous materials, operations, and equipment. The code does not purport to address all of the safety problems associated with its use. It is the responsibility of the user to establish appropriate safety and health practices. The user should determine the applicability of any regulatory limitations prior to use.

1.8 Standard Units of Measurement

This standard makes use of both U.S. Customary Units and the International System of Units (SI). The measurements may not be exact equivalents; therefore, each system shall be used independently of the other without combining in any way. The standard with the designation D1.5M:2002 uses SI Units. The standard designation D1.5:2002 uses U.S. Customary Units. The latter are shown within brackets [].

1.9 Welding Procedure Specifications (WPSs)

All production welding shall be performed in conformance with the provisions of an approved Welding Procedure Specification (WPS), which is based upon successful test results as recorded in a Procedure Qualification Record (PQR) unless qualified in conformance with

1.3.1. All WPSs shall reference the PQR that is the basis for acceptance. A copy of the proposed WPS and referenced PQR shall be submitted to the Engineer for approval. Recommended forms for WPSs and PQRs are provided in Annex III. WPSs for SMAW that meet the requirements of 5.11 shall be considered prequalified and exempt from qualification testing.

1.10 Mechanical Testing

The latest edition of AWS B4.0 or B4.0M, *Standard for Mechanical Testing of Welds*, provides additional details of test specimen preparation and details of test fixture construction.

1.11 Reference Documents

See Annex E for a description of the documents referenced in AASHTO/AWS D1.5M/D1.5:2002.